



MULTIPOINTS | AWNING & CASEMENT WINDOW HANDLE

The Award Winning DN8000 Series Multi-point Euro groove locking system is a suitable for use on awning and casement windows.

The DN8000 high performance multi-point locking system is designed for awning and casement window applications.

The DN8000 is a world first locking system that allows the window to 'self latch' under potentially damaging wind loads through an intergrated self latching mechanism.

ADVANTAGES

- Suitable for use on awning and casement windows
- Locking points determined by window size along with other key factors i.e. wind loads +/-
- Modern and stylish lever handle design
- Handle available in a wide range of powder coated colours
- Easy to operate regardless of window size and configuration

PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Acetal
FINISHES	Available in a full range of powder coat colours

COLOURS

MDN8006 - POWDER COATED







PRODUCT CODE	DESCRIPTION	HANDLE & COVER MATERIAL
DN8002	Stainless steel handle - double action	Stainless steel
MDN8006	Aluminium handle - Double Action	Aluminium handle

FURNITURE LINE DRAWINGS

Model: EH1



Model: EH2



MISSOURI | EURO-GROOVE MULTI-POINT SYSTEM


ADVANTAGES

- Robustly built with quality material
- Positive and smooth handling
- Drives conner-trans and points easily
- Can be fitted on many transmission systems
- Suits most euro groove sections
- Suits most aluminium sections, timber & PVC

COLOURS



SATIN BLACK



WHITE




CUSTOM COLOURS
AVAILABLE ON REQUEST


PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Nylon
FINISHES	Powder coat

H1



H2



COLORADO SERIES | EURO-GROOVE MULTI-POINT SYSTEM


ADVANTAGES

- Built robustly with quality material
- Positive and smooth handling
- Drives conner-trans and points easily
- Can be fitted on many transmission systems
- Suits most euro groove sections
- Suits most aluminium sections

COLOURS



SATIN BLACK



WHITE




CUSTOM COLOURS
AVAILABLE ON REQUEST

PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Nylon
FINISHES	Powder coat

H4



H5 | REMOVABLE BASE WITH HANDLE

ADVANTAGES

- Removable base with plug for versatility of applications
- Robustly built with quality material
- Positive and smooth handling
- Suits most aluminium sections

COLOURS



BLACK

PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Nylon
FINISHES	Black

H5HDBK

Removable base with plug



H5BSBK

Handle



H8 | ELM SERIES


ADVANTAGES

- Manufacture in pressure die cast zinc for strength
- Designed to suit narrow window section
- Positive and smooth handling
- Drive locking points easily
- Can be fitted on most transmission systems
- Suits most euro groove residential sections

COLOURS




BLACK



WHITE

PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Nylon
FINISHES	Black or White



H9 | YUKON SERIES


ADVANTAGES

- Pressure die cast zinc for strength
- Offset handle enabling easier access to top-hung windows
- Smooth handling
- Easily drives locking points
- Can be fitted on most transmission systems
- Suitable for most euro groove residential sections

COLOURS




SATIN BLACK




WHITE

PRODUCT DETAILS

HANDLE & BASE	Die cast zinc
TONGUE & GEARWHEEL	Die cast zinc
SPRING	Steel
BASE COVER	Nylon
FINISHES	Black or White



SINGLE ACTION



DOUBLE ACTION

AR0001 | Accord Range Multipoint Handle


PRODUCT DETAILS

FURNITURE MATERIAL	Die Cast Zinc Alloy
FINISHES	Powder coat
TONGUE	28mm (H) x 25mm (W)

COLOURS



SATIN BLACK







WHITE



CUSTOM COLOURS
AVAILABLE ON REQUEST

TESTING

TEST STANDARD	RAL RG607/11
TEST COMPLETION DATE	27th November, 2019
TEST RESULTS	
Cycle Test:	4000 N (Ultimate Tensile Strength)
Torsion Test:	30 NM (Max. Torque)
Salt Bath Test:	800 Hours (Passed)



Aesthetic handle designs with maximum durability.

The DS2848 and DS2849 multipoint handles are suitable for aluminium windows and glazed facade windows specifically in high rise buildings with openings up to 8-locking points. In addition to the aesthetically pleasing and ergonomic design, the handles is also developed for maximum durability.


ADVANTAGES


- Sleek design with hidden screw surface
- Ergonomic design
- Application up to 8 locking-point system
- Robust structure with quality material


TESTING

- Tested and passed the 100,000 cycle test
- Tested and surpassed Neutral salt spray testing for 1000 hours in accordance with Australian Standard AS2331.3.1

COLOURS

 SATIN BLACK

 WHITE

 CUSTOM COLOURS
AVAILABLE ON REQUEST

PRODUCT DETAILS

FURNITURE MATERIAL	Handle & Base - Metacom™ Tongue & Gearwell - Die cast zinc alloy
FINISH AVAILABLE	Powder coat

HOW TO ORDER

CODE	COLOUR	ACCESSORIES
DS2848S (single tongue)	Black, White, or Custom	<ul style="list-style-type: none">• Tongue 29mm to 46mm• Stopper
DS2848 (double tongue)	Black, White, or Custom	
DS2849S (single tongue)	Black, White, or Custom	
DS2849 (double tongue)	Black, White, or Custom	




DS2848



DS2849

DIMENSIONS



INNOVATORS

OF HARDWARE FOR WINDOWS AND DOORS

MULTIPOINTS_DAP.v1.1-11.05.2020

SYDNEY

38 Redfern St,
Wetherill Park
Sydney, NSW 2164
Australia
Ph: +61 2 9609 2555
www.doric.com.au

AUCKLAND

26/C Triton Drive,
Albany, North Shore,
New Zealand 0632
Auckland
Ph: +64 9 415 5535
www.doricnz.co.nz

KUALA LUMPUR

No.17 Jalan 51/203A,
Kawasan Perindustrian Tiong Nam,
Seksyen 51, 46050 Petaling Jaya,
Selangor, Malaysia
Ph: +603 777 33 628
www.doric.com.my



MULTIPOINTS | AWNING & CASEMENT WINDOW HANDLE